

Feel the Difference











MANY ADVANTAGES

SIMPLE

We have always been convinced that the best platform is both short and long, while stabile and easily portable. The telescopic platform is easy to pull out to the desired length and securing it before use is just as quick. When the red locking catches have unfolded under each rung, this indicates that the platform is ready for use and can handle loads of up to 150 kg.

FLEXIBLE

Need to reach higher while moving across larger areas? The Solid Platform's height can be adjusted at three different levels without compromising stability and safety. The Telesteps Solid Platform is easy to open and close, carry around and put in tight spaces for storage and transportation. It also has a handle so you can carry it with you at all times and just like our ladders, it is made of rigid aluminium specifically designed for tough challenges and surroundings.

SAFE & STEADY

Safe, functional and easy to take with you – Telesteps does not compromise on anything. We assemble the ladders by hand and test them all individually before delivery. Our equipment is certified according to EN 131/SP/TÜV.

The idealistic platform for the person standing within the same space for long periods of time; where you do not want to be stepping down and up the ladder just to move a bit to the right or left. Solid is the steadiest surface since the ground!



SOLID PLATFORM LINE

| Art. no: | 61209 |
|-------------------|----------------------|
| No. of treads: | 3 |
| Tread width: | 65 mm |
| Working height: | 2,6 m |
| Length, extended: | 0,88 m |
| Length, closed: | 0,74 x 0,28 x 0,62 m |
| Width: | 0,62 m |
| Weight: | 17 kg |

ACCESSORIES



Rubber Feet

Many years ago Telesteps created an icon in the world of ladders and today they are recognized as the world leaders in telescopic work tools. The Telesteps brand is renowned for its quality and design by many professionals tradesmen worldwide ensuring they always put safety and quality first.



Telesteps AB, Box 362, 573 24 Tranås, Sweden Tel: +46 140 38 68 00 | info@telesteps.com | www.telesteps.com

